1900.

TELEGRAMS: "BLINDS," MANCHESTER.
TELEPHONE No. 4467.

CHAIRMAN—**Mr. James Robertshaw**
MANAGING DIRECTOR—**Mr. Wm. T. Robertshaw**
WORKS MANAGER—**Mr. A. Robertshaw**

James Robertshaw & Sons Limited,

Climax Works,
Churnet Street,
Rochdale Road,
Manchester.

Illustrated Catalogue

OF WINDOW BLIND

Rollers and Fittings,

PORTIERE RODS, CORNICE POLES, etc.

DEPARTMENTS:—
Brass Finishing.
Brass Moulding.
Stamping and Piercing.
Saw Mills and Wood Working.
French Polishing.
Tin Smiths.
Tin and Wood Spring Rollers.
Window Hollands, Blind Cloths and Fringes.

Embroidery Plant for Manufacturing Duchesse Blinds, Appliqué Laces, Ready-made Blinds, etc.

Price List of Window Hollands, Fringes, Laces, etc. on application.

To ensure early attention to Orders and prompt despatch of Goods, it is requested that all communications be addressed DIRECT to the firm

ILLUSTRATED CATALOGUE

—OF—

Window Blind Rollers and Fittings.

PATENT

SPRING ROLLERS

Of every description,
in Tin and Wood.

The "WESTERN,"
The "AMERICAN,"
The "UNIVERSAL."

The "MONARCH,"
The "ENGLISH,"
The "ROYAL."

CORNICE POLES AND FITTINGS.

PORTIÈRE RODS.

PENDANTS and WOOD FITTINGS for Blinds and Window Cords.

Appliquè Laces, Duchesse Blinds, Window Hollands & Hand-made Laces.

MANUFACTURED BY

James Robertshaw & Sons, Ltd.,

Climax Works,

Churnet St., Rochdale Road, MANCHESTER.

Telegrams :
"BLINDS, MANCHESTER."
Telephone No. 4467

HORROCKS & CO., ASHTON-UNDER-LYNE.

TERMS.

All Goods are sold ON RAIL IN MANCHESTER at one month NET from date of Invoice; or with a Discount of 2½ per cent. if paid within seven days from date of Invoice.

LETTER ORDERS receive prompt attention.

All Accounts must be remitted direct; no money must be paid to Travellers or Agents, excepting at own risk.

To ensure early attention to orders and prompt despatch of Goods, IT IS REQUESTED that all communications be addressed DIRECT TO THE FIRM.

INDEX.

	PAGE.
Arms and Brackets for Sun-shade Rollers ...	19
Acme Blind Furniture	6
Acme "to Top" Blind Furniture	7
Atlas Blind Furniture	9
Brackets, Blind Clips, and Fasteners	27
Blinds for Outside Shop Windows	17
Blinds for Verandahs, etc.	46, 47
Climax Blind Furniture...	5
Crown ,, ,, ...	8
Clothes Rack	31
Cord	48
Cornice Poles & Cornice Pole Fittings	40, 41, 42, 43, 44
Cutter	26
Door Stoppers	31
Draught Excluders and Window Wedge ...	29
Excelsior Blind Furniture	7
Eclipse (Single Cord) Blind Furniture	22, 23, 24
Eclipse "Cast" Blind Furniture	24
Endless Cord	24
Empress Mirror Regulator	26
Florentine Blinds...	47
Globe Blind Furniture	8
Holdfasts	28
Lath Punching Machine	35
Mantel Brackets	31
Outside Shop Blinds	16

	PAGE
Paragon Blind Furniture	10
Pendants...	33
Portière Rods	....36, 37
Premier Blind	45
Royal Spring Rollers	21
Rollers and Laths	34
Rod Holders and Sash Fasteners	30
Racks	...38, 39
Shop Sun Blinds	16
Scotch Eclipse and Shop Fittings	25
Scotch Blind Furniture	10, 11, 12
Stair Rods...	46
Sun-shade Brackets and Arms	19
Spring Rollers ("Universal" and "Monarch")	14
,, ,, ("English" and Spring, Cord Pulley)	15
,, ,, ("The Western" and "The American")...	13
Tin Barrel Spring Rollers	17
Tin Barrel Spring Rollers for Sun-shades, etc.	17, 18
Tin and Wood Extension Rollers	20
Towel Rollers	32
Venetian Laths	32
Venetian Fittings...	35
Verandah Blinds	...46, 47

NOTICE.

ALL Goods are of the best quality, and special attention is given both to material and workmanship.

Several new Fittings are shown in this Catalogue, and nearly all the older actions have again been improved in design and detail in such ways as experience has shown to be desirable.

The Rollers are stove-dried before being turned, and are straight and free from sap and knots.

The Iron Fittings are enamelled by a new process which imparts a hard coating of brilliant lustre, and which renders them impervious to damp, so that the fittings cannot become rusty, as is the case with many ordinary lacquered Iron Fittings.

All the Fittings described in this Catalogue are supplied in Gross and Half-Gross Cases, with Rollers and Laths; or the Fittings can be supplied separately if required.


The size of the Fittings in this Catalogue—1-in., 1¼-in., or 1½-in., &c.—means the diameter of the Roller that the Fittings suit.

Models of any Fitting—to the Trade only—supplied at the List Price (per set) of the Fitting.

1900.

CLIMAX

BLIND FURNITURE.



No. 1 CLIMAX.

No. 1 Climax Blind Furniture—the original Climax Fitting—is one of the simplest and cheapest Blind Rollers made.


It is easy to fix, and not liable to get out of order.

It is made to fix both to "Face" and "Top" of window.

IRON.

	Per Gross.		Per Gross.
1 in. Fittings,	37/4 ;	or with 4-ft. Rollers and Laths,	61/4
1¼ „ „	48/- ;	„ „ „	88/-

ONLY MADE IN IRON.



S" CLIMAX.

This is the Improved Climax, which is named the "S" Climax, to distinguish it from the old lighter and cheaper Climax.

The Climax Fittings are supplied with Rollers and Laths, packed in Gross and Half-Gross Cases, the Cord-end being fastened on the Roller ; or the Fittings can be had separately if required.

IRON.


	Per Gross.		Per Gross.
1 in. Fittings,	40/- ;	or with 4-ft. Rollers and Laths,	64/-
1¼ „ „	56/- ;	„ „ „	96/-
	Per Dozen.		**Per Dozen**
1½ „ „	8/- ;	„ „ „	
1¾ „ „	12/- ;	„ „ „	
2 „ „	20/- ;	„ „ „	

BRASS.

	Per Dozen.		Per Dozen
1 in. Fittings,	13/4 ;	or with 4-ft. Rollers and Laths,	15/4
1¼ „ „	16/- ;	„ „ „	19/4
1½ „ „	21/4 ;	„ „ „	
1¾ „ „	26/- ;	„ „ „	
2 „ „	30/- ;	„ „ „	

ACMÉ

BLIND FURNITURE.



The ACMÉ Blind Furniture is an improved lever Fitting, which works with one Cord. It is so designed that there is no possible uncertainty of action, the slightest tension on the Cord being sufficient to lower the Blind, which is stopped instantly, in any position, by releasing the Cord.

The No. 1 Acmé Fittings are made in both Stamped and Cast Iron, and are supplied with Rollers and Laths, packed in Gross or Half-gross Cases, the Cord-end being fastened on the Roller; or the Fittings can be had separately if required.


STAMPED IRON FITTINGS.

	Per Gross.		Per Gross.
1 in. Fittings,	42/8	; or with 4-ft Rollers and Laths,	66/8

CAST-IRON FITTINGS.

	Per Gross.		Per Gross.
1 in. Fittings,	48/-	; or with 4-ft. Rollers and Laths,	72/-
1¼ " "	72/-	" " "	112/-

ONLY MADE IN IRON.



This is the Improved Acmé, which is named the "S" Acmé to distinguish it from the old lighter and cheaper Acmé.

This fitting is stronger and heavier than the old one, and greatly improved in design. The right-hand Bracket is so constructed as to cover the ratchet wheel, thereby obviating any danger of the wheel catching in lace curtains or any other similar window hangings.

The Acmé Fittings can be supplied with the Adjustable Friction Cord-end.

IRON.

	Per Gross.		Per Gross.
1 in. Fittings,	56/-	; or with 4-ft. Rollers and Laths,	80/-
1¼ " "	96/-	" " "	136/-
	Per Dozen.		Per Dozen.
1½ " "	9/4	" " "	
1¾ " "	13/4	" " "	
2 " "	20/-	" " "	


BRASS.

	Per Dozen.		Per Dozen.
1 in. Fittings,	16/-	; or with 4-ft. Rollers and Laths,	18/-
1¼ " "	18/8	" " "	22/-
1½ " "	23/4	" " "	
1¾ " "	28/-	" " "	
2 " "	32/-	" " "	

1 and 1¼ in. "ACMÉ" with Friction Cord-end, 2/6 per dozen net extra.

EXCELSIOR

BLIND FURNITURE.



The EXCELSIOR Blind Fitting works with two Cords, independent of each other. One Cord is for winding up only and does not release the Lever, the other Cord is for lowering; a pull of the Cord raises the Lever and allows the Blind to descend; the instant the Cord is again released the Lever locks the Wheel and holds the Blind in any position.

IRON.

	Per Gross.		Per Gross.
1 in. Fittings,	56/- ..	or with 4-ft. Rollers and Laths,	80/-
1¼ ,, ,,	80/-	,, ,, ,,	120/-
	Per Dozen.		
1½ ,, ,,	9/4	,, ,, ,,	
1¾ ,, ,,	13/4	,, ,, ,,	


BRASS.

	Per Dozen.		Per Dozen.
1 in Fittings,	16/- ..	or with 4-ft. Rollers and Laths,	18/-
1¼ ,, ,,	18/8	,, ,, ,,	22/-
1½ ,, ,,	23/4	,, ,, ,,	
1¾ ,, ,,	28/-	,, ,, ,,	

ACMÉ

BLIND FURNITURE

TO "TOP."



The "ACMÉ" Blind Furniture, to fix to "Top of Window, is specially adapted for the Scotch and Irish trades, where "Face" Fittings are not much used. The left-hand Bracket is fitted with a small Lever which is lifted up to admit of the Roller being placed in the Brackets. The Lever is then drawn down and the Roller thus secured in its place.

IRON.

	Per Gross.		Per Gross
1 in. Fittings,	64/- ..	or with 4-ft. Rollers and Laths.	88/-
1¼ ,, ,,	104/-	,, ,, ,,	144/-
	Per Dozen.		
1½ ,, ,,	10/8	,, ,, ,,	
1¾ ,, ,,	14/8	,, ,, ,,	
2 ,, ,,	21/4	,, ,, ,,	


BRASS.

	Per Dozen.		Per Dozen
1 in. Fittings,	17/4 ..	or with 4-ft Rollers and Laths,	19/-
1¼ ,, ,,	20/-	,, ,, ,,	23/4
1½ ,, ,,	23/4	,, ,, ,,	
1¾ ,, ,,	28/-	,, ,, ,,	
2 ,, ,,	32/-	,, ,, ,,	

1 and 1¼ in., with Friction Cord ends, 2/6 per dozen net extra.

CROWN

BLIND FURNITURE.



The CROWN is an improved Lever Fitting. The Brackets are made of Stamped Steel, and can be fixed to "Face," "Top," or "Side" of Window as required.

IRON FITTINGS.


	Per Gross.	Per Gross.
1 in. Fittings,	48/- ; with 4-ft- Rollers and Laths,	72/-
1¼ ,, ,,	72/- ; ,, ,, ,,	112/-

BRASS.

	Per Dozen.	Per Dozen.
1 in. Fittings,	12/- ; with 4-ft. Rollers and Laths,	14/-
1¼ ,, ,,	13/4 ; ,, ,, ,,	16/8

GLOBE

BLIND FURNITURE.



The above is the GLOBE Fitting to fix to "Face" of Window. It is also made with Bracket to fix to "Top."

IRON.

1	in. Fittings,	10/-	per doz. ;	with 4-ft. Rollers and Laths,			12/-	per doz
1¼	,, ,,	13/4	,,	,,	,,	,,	17/4	,,
1½	,, ,,	16/8	,,	,,	,,	,,		,,
1¾	,, ,,	20/-	,,	,,	,,	,,		,,
2	,, ,,	24/-	,,	,,	,,	,,		,,

IRON BRACKETS & BRASS ENDS,

1	in. Fittings,	20/-	per doz. ;	with 4-ft. Rollers and Laths,			24/-	per doz
1½	,, ,,	26/8	,,	,,	,,	,,		,,
1¾	,, ,,	30/8	,,	,,	,,	,,		,,
2	,, ,,	34/8	,,	,,	,,	,,		,,


BRASS.

1¼	in. Fittings,	28/8	per doz. ;	with 4-ft. Rollers and Laths,			32/8	per doz
1½	,, ,,	36/-	,,	,,	,,	,,		,,
1¾	,, ,,	40/-	,,	,,	,,	,,		,,
2	,, ,,	44/-	,,	,,		,,		,,

Best Pine Rollers and Egg-shaped Laths supplied with this Fitting.
For Price. see page 34.

ATLAS

BLIND FURNITURE.



The ATLAS Blind Furniture is similar in action to the Globe and Scotch Fittings, and is made to fix to "Face" or "Top" of window.

It has the Patent Adjustable Friction Cord-end, which can be regulated to suit any length or weight of Blind.

It is made in All-Brass, in Brass and Iron (that is, Brass Ends and Iron Brackets), and in All-Iron.

In this Fitting the Friction is not fixed on the Cord-end, but on the Cap at the left-hand side; the space taken up by the Fitting is thus equally divided between the two ends neither end occupying much over ¾ inch.

The Friction is absolutely certain, and can only be tightened or slackened by turning the Brass Plate in the Cap.

The ATLAS is made in three qualities:
No. M 1. All-Stamped.
" 1. Cast Ends and Cast Brackets.
" "SS." Heavy Cast.

M 1 ATLAS.

IRON, with Brass Friction Wheel.

	Per Dozen.		Per Dozen.
1¼ in. Fittings	13/4	or with 4-ft. Rollers and Laths,	16/8

IRON AND BRASS.

	Per Dozen.		Per Dozen.
1¼ in. Fittings	17/4	or with 4-ft. Rollers and Laths,	20/8

Per Dozen. **BRASS.** Per Dozen.

1¼ in. Fittings	20/8	or with 4-ft. Rollers and Laths,	24/-

No. 1 ATLAS.

Cast Iron Brackets and Cast Brass Ends.

	Per Dozen.		Per Dozen.
1¼ in. Fittings,	18/-	or with 4-ft. Rollers and Laths,	22/-
1½ " "	22/-	" " "	
1¾ " "	27/4	" " "	
2 " "	32/8	" " "	

Per Dozen. **BRASS.** Per Dozen.

1¼ in. Fittings,	24/-	or with 4-ft. Rollers and Laths,	28/-
1½ " "	28/8	" " "	
1¾ " "	32/8	" " "	
2 " "	40 8	" " "	

"SS" ATLAS (Heavy Cast).

IRON, with Brass Friction Wheel.

	Per Dozen.		Per Dozen.
1¼ in Fittings,	13/4	or with 4-ft. Rollers and Laths,	17/4

IRON BRACKETS AND BRASS ENDS.

	Per Dozen.		Per Dozen.
1¼ in. Fittings,	20/-	or with 4-ft. Rollers and Laths,	24/-
1½ " "	24/-	" " "	

BRASS.


	Per Dozen.		Per Dozen.
1¼ in. Fittings,	28/8	or with 4-ft. Rollers and Laths,	32/8
1½ " "	32/-	" " "	

Best Pine Rollers and Egg-shaped Laths supplied with this Fitting.

For Price see page 34.

SCOTCH
BLIND FURNITURE.

Made to wind either "under" or "over," according to order.



Best Scotch Action, with Malleable Iron Brackets and Brass Ends, in All-Brass. To wind "Over." For Scotch trade. Solid Cord Guide.

Brass Ends and Malleable Iron Brackets.


	Per Dozen.		Per Dozen.
1¼ in. Fittings,	20/8 .. or with 4-ft. Rollers and Laths,		24/-
1 " "	22/-	" " "	26/-
1½ " "	23/4	" " "	28/-
1⅝ " "	25/4	" " "	30/8

ALL-BRASS.

	Per Dozen.		Per Dozen.
1¼ in. Fittings,	28/- .. or with 4-ft. Rollers and Laths		31/4
1 " "	30/-	" " "	34/-
1½ " "	32/-	" " "	36/8
1⅝ " "	34/	" " "	39/4
1¾ " Very heavy	40	" " "	According to length.
2 " Very heavy	44/	" " "	According to length.
2¼ " Very heavy	48/-	" " "	According to length.

The Cord Guide on these Fittings is cast on the Bracket, and is immovable.

PARAGON
BLIND FURNITURE.



The Improved PARAGON is an alteration in design of the old Patent PARAGON Fittings. It can be fixed to "Face," "Top," or "Side" Window as required.

IRON.


	Per Gross.		Per Gross.
1 in. Fittings,	48/- ; or with 4-ft. Rollers & Laths,		72/-
1¼ " "	80/- ;	" " "	120/-

BRASS.

	Per Dozen		Per Dozen
1 in. Fittings,	16/- ; or with 4-ft. Rollers & Laths,		18/-
1¼ " "	18/8 ;	" " "	22/-

SCOTCH

BLIND FURNITURE.



No. 2, IRON-SCOTCH, with Spring Lever Slide Bracket, made in Iron only. Malleable Iron Brackets and Iron Ends, with Brass Wheel.

Patent Adjustable Friction. Loose Cord Guide.


No. 1a.—Brass Ends and Bronzed Brackets.

No. 2.—IRON.

	Per Dozen.		Per Dozen.
1¼ in. Fittings,	14/8 ..	or with 4-ft. Rollers and Laths,	18/-
1⅜ ,, ,,	15/8	,, ,, ,,	19/8
1½ ,, ,,	16/8	,, ,, ,,	21/4
1⅝ ,, ,,	17/8	,, ,, ,,	23/-

No. 1a.—BRASS AND IRON.

	Per Dozen.		Per Dozen.
1¼ in. Fittings,	15/8 ..	or with 4-ft. Rollers and Laths,	19/-
1⅜ ,, ,,	16/8	,, ,, ,,	20/8
1½ ,, ,,	17/8	,, ,, ,,	22/4
1⅝ ,, ,,	18/8	,, ,, ,,	24/-



SOLID CORD-GUIDE.

No. 1, SCOTCH ACTION, lighter than best; Malleable Iron Brackets and Brass Ends, and in All-Brass.

To wind "Over" or "Behind."

All these Scotch Actions are fitted with the Patent Adjustable Friction end, which can be regulated to suit any length or weight of Blind. The friction is regulated by turning the flat Brass Plate in the Catch-wheel, and the required amount of tension is applied.

Brass Ends and Malleable Iron Brackets.

	Per Dozen.		Per Dozen
1¼ in. Fittings,	18/- ..	or with 4 ft. Rollers and Laths,	21/4
1⅜ ,, ,,	19/4	,, ,, ,,	23/4
1½ ,, ,,	20/8	,, ,, ,,	25/4
1⅝ ,, ,,	22/-	,, ,, ,,	27/4

BRASS.


	Per Dozen.		Per Dozen
1¼ in. Fittings,	21/4 ..	or with 4-ft. Rollers and Laths,	24/8
1⅜ ,, ,,	22/8	,, ,, ,,	26/8
1½ ,, ,,	24/-	,, ,, ,,	28/8
1⅝ ,, ,,	25/4	,, ,, ,,	30/8


PATENT MACHINE-MADE

SCOTCH BLIND FURNITURE.


WITH PATENT REVERSIBLE BRACKETS.

MADE IN M 3 AND M 4, ALSO WITH SINGLE BRACKET.





M 3



M 4



SINGLE BRACKET.

1/- dozen less than list.

This is a new Scotch Mounting with a Reversible Bracket. It can be fixed to "wind under" or "over" as desired, and can also be fixed to either "right" or "left" hand. The great advantage of this Fitting over all others in the market, is that being adjustable to any position, it does away with the necessity of stocking two or three kinds of Scotch Mountings.

It is fitted with the Patent Adjustable Friction End, which can be regulated to suit any length or weight of blind.

M 3 AND M 4 BRONZED BRACKETS AND BRASS ENDS.

	M 3	M 4		M 3	M 4
	Per Dozen.			Per Dozen.	
1¼ in. Fittings	19/4	18/8	or with 4 ft. Rollers and Laths,	22/8	22/-
*1⅜ „ „	19/8	19/-	„ „ „	23/8	23/-
*1½ „ „	20/-	19/4	„ „ „	24/8	24/-
1⅝ „ „	20/8	20/-	„ „ „	26/-	25/4

Rollers shouldered to fit ends.

* These can be supplied in 7 feet and 8 feet lengths assorted in half quantities of Fittings.

M 3 AND M 4 BRASS.

	M 3	M 4		M 3	M 4
	Per Dozen.			Per Dozen.	
1¼ in. Fittings	23/4	22/8	or with 4 ft. Rollers & Fittings	26/8	26/-
*1⅜ „ „	23/8	23/-	„ „ „	27/8	27/-
*1½ „ „	24/-	23/4	„ „ „	28/8	28/-
*1⅝ „ „	24/8	24/-	„ „ „	30/-	29/4


Rollers shouldered to fit ends.

* These can be supplied in 7 feet and 8 feet lengths assorted, in half quantities of Fittings.


PATENT SPRING STOP-ROLLERS.

THE "WESTERN."






With Bracket, as shown.




These Rollers are made on the American principle.


1	in. by	**48**	in.	.. ..	**76**/- per Gross.
1¼	,,	**48**	,,	.. ..	**104**/- ,,

THE "AMERICAN."





With Brackets, as shown; or with the Patent Reversible Bracket on page 14, **2**/**8** per Gross extra.



These Rollers are made on the American principle


				Per Gross.					Per Dozen
1	in. by	**42**	in. ..	**80**/-	**1½**	in. by	**48**	in. ..	**18**/-
1	,,	**48**	,, ..	**88**/-	**1½**	,,	**54**	,, ..	**20**/-
1¼	,,	**48**	,, ..	**112**/-	**1½**	,,	**60**	,, ..	**22**/-
1¼	,,	**54**	,, ..	**128**/-	**1½**	,,	**72**	,, ..	**26**/-
1¼	,,	**60**	,, ..	**144**/-	**1½**	,,	**84**	,, ..	**30**/-
1¼	,,	**72**	,, ..	**176**/-	**2**	in. by	**72**	in., **5**/**4** each, and **6**d. per ft. net extra for longer.	

Smaller quantities, **6**d. per dozen net extra.


Short Rollers, with Special Springs for Bay Windows, &c., made to order, **12** inches to **16** inches.

PATENT SPRING STOP-ROLLERS.





Patent Reversible Steel Bracket showing "Face" position.



This Roller is made of Best Yellow Pine.

The Spring is made of specially tempered flat Steel Wire, and will wind more curtain than any other Spring Roller the same size in the market, and works easier with long drops.





Every Roller Tested. Every Roller Warranted.
Made in England, by English Workmen, at our own Factories.

		Per Gross.
1 in. by 42 in.	..	76/-
1 ,, 48 ,,	..	84/-
1¼ ,, 48 ,,	..	112/-
1¼ ,, 54 ,,	..	128/-
1¼ ,, 60 ,,	..	144/-
1¼ ,, 72 ,,	..	176/-

		Per Dozen.
1½ in. by 48 in.	..	18/-
1½ ,, 54 ,,	..	20/-
1½ ,, 60 ,,	..	22/
1½ ,, 72 ,,	..	26/-
1½ ,, 84 ,,	..	30/-

2 in. by 72 in., 5/4 each: and 6d. per ft. net extra for longer.

Smaller quantities, 6d. per dozen net extra.

Short Rollers, with special Springs for Bay Windows, &c., made to order, 12 to 16 inches, 3/- per dozen extra.



Patent Reversible Steel Bracket showing "Top" position.



The "MONARCH" is a similar Roller to the "Universal," but has extra strong Brass Caps and Bronze Pegs instead of Iron.

Brass Caps at both ends.

BEAD BRACKETS


Every Roller Tested. Every Roller Warranted
Made in England, by English Workmen, at our own Factories.

	Per Gross.
1 in. by 42 in.	88/-
1 ,, 48 ,, ...	96/
1¼ ,, 48 ,, ...	120/-
1¼ ,, 54 ,, ...	136/
1¼ ,, 60 ,, ...	152/
1¼ ,, 72 ,, ...	184/-

Smaller quantities, 6d. per dozen net extra.

Short Rollers, with special Springs for Bay Windows, &c., made to order, 12 inches to 16 inches, 3/- per dozen extra.

"ENGLISH" SPRING STOP ROLLER.



The ENGLISH Spring Roller is made of the very best materials throughout. Very strong Brass Caps and strong Brass Pegs.

Made all sizes to suit any kind of window.

The most durable Spring Stop Roller in the world.

Supplied with Tinned Angle Brackets or Malleable Iron Brackets for "Face," "Top," or "Beads.


Every Roller Tested.

EVERY ROLLER WARRANTED.

	Per Doz.		Per Doz.
1¼ in. by 48 in. ..	16/-	1½ in. by 48 in. ..	24/-
1¼ in. by 54 in. ..	17/4	1½ in. by 54 in. ..	26/-
1¼ in. by 60 in. ..	18/8	1½ in. by 60 in. ..	28/-
1¼ in. by 72 in. ..	21/4	1½ in. by 72 in. ..	32/-
		1½ in. by 84 in. ..	36/-

2 in. by 72 in., 6/- each, and 6d. per foot net extra for longer.

SPRING ROLLER WITH CORD PULLEY.



This is a Spring Roller (without stops) fitted with a Brass Cord-wheel, for a cord to wind the Blind down by the Pulley. The Spring winds the Blind up, and the cord at the side, round the Pulley, winds it down. The cord is fastened to a Holdfast to hold the Blind in any position.

This Roller is made in Tin or Wood, any length and size.

PRICES:—

IN WOOD.

	Per Doz
1¼ in. by 4 ft. ..	20/-
1½ in. by 4 ft. ..	32/-
1½ in. by 5 ft. ..	36/-


ALL TIN ROLLERS.

	Per Foot
1¼ in.	1/1
1½ in.	1/4
1¾ in.	1/6½
2 in.	1/9½
2½ in.	2/4

The shortest Roller made charged as 3 feet.

OUTSIDE SHOP BLINDS.

PATENT TIN SPRING ROLLERS, &c.



OUTSIDE SHOP SUN BLINDS.

Best quality Sail Cloth, made and fixed to Roller (Cloth only, 2/- per square yard). Cheaper Quality, 3d. per yard less nett
When ordering, allow ½ yard extra in depth for fixing round Roller and fastening to Front Board.

Front Board, 1 x 4 in., with moulding all round, and Strip 1½ x 1¼ in., to fix Blind to .. .. .. 8d. per foot.
Boxes, moulding all round, 9in. square, including Front Board, with one coat of paint, under 16 feet .. .. 2/- ,,
,, ,, ,, ,, ,, ,, over 16 ,, ... 2/3 ,,

For full price list and prices of Rollers, Irons, Boxes, &c., see pages 17 and 18.

PATENT TIN BARREL SPRING ROLLERS



FOR SUN BLINDS.

FOR INSIDE AND OUTSIDE BLINDS OF ALL KINDS.

These Rollers are made of Strong Tinned Steel Plates, and are guaranteed not to bend or break. Fitted with best Steel Spring of flat Wire, hardened and tempered.

For Outside Sun Blinds these Rollers are made without "Catches," and for Inside Blinds they are made (all lengths and sizes) with "Cap and Rack," with "Pawls" (on the Stop Roller principle), or without Stops as required.

They are made throughout of the very best materials, and special care is given to the finishing, to make the Rollers thoroughly durable and reliable.

Most Spring Rollers—made with the ordinary round soft wire—are well known to have a tendency to "cripple" and get out of order if the Spring is overwound. We have overcome this defect by using a flat wire, specially prepared, and by the arrangement and construction of the Rod and Spring, and the manner in which they are fastened together. The construction of the Spring and Rod is patented. On the Iron Rod, and underneath the Spring, are a series of Rollers which revolve as the Spring tightens, and so reduce friction on the Spring and liability to cripple to a minimum.

New Bracket, for charging the Spring whilst the Roller is fixed, see page 18.

TIN BARRELS ONLY.

1¼ in. .. .. .. 4/6 per doz. ft	2¼ in. .. .. .. 8/6 per doz. ft.	4 in. .. .. .. 18/- per doz. ft.
1½ in. .. .. .. 5/- ,,	2½ in. .. .. .. 10/6 ,,	4½ in. .. .. .. 22/6 ,,
1¾ in. .. .. .. 6/- ,,	3 in. .. .. .. 13/6 ,,	5 in. .. .. .. 27/- ,,
2 in. .. .. .. 6/9 ,,	3½ in. .. .. .. 15/- ,,	
Cut Lengths, ½d. per foot net extra.	Cut Lengths, 1d. per foot net extra.	Cut Lengths, 1d. per foot net extra.

Wooden Ends for Cord and Brackets, 3/4 per Set.


SIZES FOR SUN BLIND SPRING ROLLERS.

The following sizes should be used :

Up to 14 feet .. .. .. 3 inch.	Up to 18 feet .. .. .. 4 inch.	Up to 24 feet .. .. .. 5 inch.
,, 16 ,, ... 3½ ,,	,, 21 ,, ... 4½ ,,	,, 28 ,, ... 5½ ,,

Over 30 feet .. .. 6 inch,

PATENT TIN BARREL SPRING ROLLERS.



These Rollers are made in two qualities—"Best," with extra strong Barrels, and "Second Quality," rather lighter.

BEST ROLLERS WARRANTED.

FOR INSIDE BLINDS OR OUTSIDE HOUSE BLINDS.

Best Quality.		Second Quality.	
1¼ in.	1/1 per foot.	1½ in.	1/3 per foot.
1½ ,, ...	1/4 ,,	1¾ ,, ...	1/4 ,,
1¾ ,, ...	1/6½ ,,	2 ,, ...	1/6 ,,
2 ,, ...	1/9½ ,,	2¼ ,, ...	1/10 ,,
2¼ ,, ...	2/- ,,	2½ ,, ...	2/2 ,,
2½ ,, ...	2/4 ,,		

The Shortest Roller made charged as 3 and 4 feet respectively.

FOR OUTSIDE SHOP BLINDS.

Best Quality.		Second Quality.	
2½ in.	2/4 per foot	3 in.	2/2 per foot.
3 ,, ...	2/6 ,,	3½ ,, ...	2/6 ,,
3½ ,, ...	3/- ,,	4 ,, ...	3/- ,,
4 ,, ...	3/4 ,,	4½ ,, ...	3/6 ,,
4½ ,, ...	4/- ,,	5 ,, ...	4/- ,,
5 ,, ...	4/6 ,,		

The Shortest Roller made charged as 10 feet.

When ordering, state if "Pin" or "Roller" Measure.

THESE ROLLERS CAN BE CONVENIENTLY PACKED IN EGG SHAPED LATHS.

BEST STRIPED OUTSIDE BLINDS.

Blinds only, made and sewn to Roller. Intermediate sizes charged as next larger.

Depth in Feet.	6	6½	7	7½	8	8½	9	9½	10	10½	11	11½	12
3 yards wide ...	14/-	15/2	16/4	17/6	18/8	19/10	21/0	22/2	23/4	24/6	25/8	26/10	28 -
3½ ,, ,, ...	16/4	17/8	19/-	20/5	21/9	23/1	24/6	25/10	27/2	28/7	29/11	31/3	32/8
4 ,, ,, ...	18/8	20/3	21/10	23/4	24/11	26/6	28/-	29/7	31/2	32/8	34/3	35/10	37 4
4½ ,, ,, ...	21/-	22/9	24/6	26/3	28/-	29/9	31/6	33/3	35/-	36/9	38/6	40/3	42/
5 ,, ,, ..	23/4	25/3	27/2	29/2	31/1	33/-	35/-	36/11	38 10	40/10	42 9	44 8	46 8
5½ ,, ,, ..	25/8	27/10	30/-	32/1	34/3	36/5	38/6	40/8	42/10	44/11	47/1	49 3	51 4
6 ,, ,, ..	28/-	30/4	32/8	35/-	37/4	39/8	42/-	44/4	46/8	49/-	51/4	53/8	56
6½ ,, ,, ...	30/4	32/10	35/4	37/11	40/5	42/11	45/6	48/-	50/6	53/1	55/7	58/1	60 8
7 ,, ,, ...	32/8	35/5	38/2	40/10	43/7	46/4	49/-	51/9	54/6	57/2	59/11	62/8	65/4

Second Quality, 3d. per yard less, nett.

We take all measurements to be Pin measure unless otherwise stated.

BRACKETS AND SECTIONS OF ARMS AND SLIDES.

Arms Cranked to desired shape and length (Price inclusive).

Shop Arms with Slide.

32/- per pair.








Pull-Down Plate and Hook,

1/4 per set.

With Polished Birch Pole, 3/4 per set.




(Provisionally Protected).

Bracket for charging Roller whilst fixed.

For Rollers up to 16 ft. .. 3/4

" " over 16 ft. .. 6/-




Shop Arms with Slide.

$\frac{5}{8}$ in. Arms. 16/8

$\frac{3}{4}$ " " 20/-

$\frac{7}{8}$ " " 23/4

1 " " 26/8



Shop Arm without Slide.


$\frac{5}{8}$ in. .. 10/- to 6 ft. Plain cranking extra. $\frac{3}{4}$ in. 13/4 to 7 ft.

PATENT

TIN SPRING ROLLERS

With Wood Extension, (Stop Rollers and Cap and Rack).

		Per Dozen.
1¼ in. by 4 ft.	..	32/-
1¼ ,, 4 ft. 6 in.	..	36/-
1¼ ,, 5 ft ..	..	40/-
1½ ,, 5 ft. ..	..	48/-
1½ ,, 5 ft. 6 in.	..	52/-
1½ ,, 6 ft. ..	..	60 -
1½ ,, 7 ft. ..	..	68/-




		Per Dozen.
1¾ in. by 8 ft.	..	104/-
1¾ ,, 9 ft.	..	120/-
2 ,, 8 ft.	..	112/-
2 ,, 9 ft.	..	128/-
2 ,, 10 ft.	..	144/-
2 ,, 11 ft.	..	160/-
2 ,, 12 ft.	..	176/-

Odd Rollers 3d. each extra.

STOP ROLLER.

This is a Tin Barrel Spring Roller with an extended Wooden Roller. The advantage over the All Tin Barrel is that it can be cut down to size, and so can be stocked ready for immediate use.

		Per Dozen
1¼ in. by 4 ft.	..	40/-
1¼ ,, 4 ft. 6 in.		44/-
1¼ ,, 5 ft.	..	48/-
1½ ,, 5 ft.	..	56/-
1½ ,, 5 ft. 6 in.		60 -
1½ ,, 6 ft.	..	68/-
1½ ,, 7 ft.	..	76/-



		Per Dozen.
1¾ in. by 8 ft.	..	112/-
1¾ ,, 9 ,,	..	128/-
2 ,, 8 ,,	..	120/-
2 ,, 9 ,,	..	136/-
2 ,, 10 ,,	..	152/-
2 ,, 11 ,,	..	168/-
2 ,, 12 ,,	..	184/-

Odd Rollers 3d. each extra.


CAP AND RACK.

This is a Tin Barrel Spring Roller with an Extended Wooden Roller. The advantage over the All-Tin Barrel is that it can be cut down to size, and so can be stocked ready for immediate use.


"ROYAL"

SPRING ROLLER.

No. 1. TINNED BRACKETS
with Brass Bush.



No. 2. BRASS BRACKETS.



No. 3.



This Bracket can be fixed either to "Face" or "Top."

The "ROYAL" Spring Roller is made in Wood or Tin, with Cap and Rack. It is made of best material throughout, and is a strong, durable, and perfectly reliable Roller.

The Wooden Roller, if too long, can be cut down to the length required. Very short Rollers should be specially ordered.

The square peg is covered with a strong Brass Bush to prevent it from wearing.

The Spring is made of best Hardened and Tempered Cast Steel, which is finished by a special process.

Every Roller Tested. Every Roller Warranted.

Made in England, by English Workmen, at our own Factories.

WITH WOODEN ROLLERS.

1¼ by 48 in.	.. 32/- per doz.	1½ by 54 in.	.. 50/8 per doz.
1¼ by 54 in.	.. 34/- ,,	1½ by 60 in.	.. 53/4 ,,
1¼ by 60 in.	.. 36/- ,,	1½ by 72 in.	.. 58/8 ,,
1¼ by 72 in.	.. 40/- ,,	1½ by 84 in.	.. 64/- ,,
1½ by 48 in.	.. 48/- ,,		

ALL TIN ROLLERS.

1¼ in.	1/1 per foot.
1½ in.	1/4 ,,
1¾ in.	1/6½ ,,
2 in.	1/9½ ,,
2½ in.	2/4 ,,

The Shortest Roller made charged as 3 feet.


ECLIPSE FLANGE END

BLIND FURNITURE.

IRON AND BRASS
Fittings only.
2 in. Flange. R Holdfast.

	Per Doz.
1 in.	6/-
1¼ ,, ...	7/4
1½ ,, ...	12/-
1¾ ,, ...	16/-
2 ,, ...	20/-

Iron and Brass means Iron Brackets and Steel Sheaves, with Brass Boxes.



IRON AND BRASS
Fittings with 4-ft. Rollers & Laths
2 in. Flange. R Holdfast.

	Per Doz.
1 in × 4 ft.	8/-
1¼ ,, × 4 ft.	10/8
1½ ,, × 4 ft.	20/-
1¾ ,, Price according to length	
2 ,, ,, ,, ,,	

1 in. and 1¼ in. Iron and Brass can be had without Cord Guide, 8d. per dozen less.

BRASS.

No. 0 Brass Brackets without Cord Guide. No. 0 Holdfast. 2 in. Flange.

1 in. Fittings only	8/8 per dozen.	1 in. Fittings and 4 ft. Rollers and Laths,	10/8 per dozen.
1¼ ,, ,, ...	10/- ,,	1¼ ,, ,, ,, ,,	13/4 ,,
1½ ,, ,, ...	13/4 ,,	1½ ,, ,, ,, ,,	21/4 ,,

No. 0 1 Brass Brackets with Cord Guide. No. 0 Holdfast. 2 in. Flange.

1 in Fittings only	9/- per dozen.	1 in. Fittings and 4 ft. Rollers and Laths,	11/- per dozen.
1¼ ,, ,, ...	10/4 ,,	1¼ ,, ,, ,, ,,	13/8 ,,
1½ ,, ,, ...	13/8 ,,	1½ ,, ,, ,, ,,	21/8 ,,

No. 1 Brass. 2 in. Flange Brackets with Cord Cuide. R Holdfast.

1 in. Fittings only	9/4 per dozen.	1 in. Fittings and 4 ft. Rollers and Laths,	11/4 per dozen.
1¼ ,, ,, ...	10/8 ,,	1¼ ,, ,, ,, ,,	14/- ,,
1½ ,, ,, ...	14/- ,,	1½ ,, ,, ,, ,,	22/- ,,

No. 2 Brass. 2⅛ Flange. Brackets with Cord Guide. R Holdfast.


1¼ in. Fittings only	11/4 per dozen.	1¼ in. Fittings and 4 ft. Rollers and Laths,	14/8 per dozen.
1⅜ ,, ,, ...	12/- ,,	1⅜ ,, ,, ,, ,,	17/- ,,
1½ ,, ,, ...	16/8 ,,	1½ ,, ,, ,, ,,	24/8 ,,

1½ in. Fittings only, with 2½ in. Flange and Cast D Brackets .. .. 22/- per dozen.
1¾ ,, ,, ,, 2½ ,, ,, ,, ,, ... 24/- ,,
2 ,, ,, ,, 2½ ,, ,, , ,, ... 28/- ,,

ECLIPSE SINGLE CORD

BLIND FURNITURE.

This is a Cast Brass Single Cord Fitting with Boxes as shown. Supplied complete with Holdfast.



IRON.

Per Gross

1 in. Fittings only (cast) 40/-
Or with 4 ft. Rollers and Laths 64/-

1¼ in. Iron (stamped ends) no Boxes, Fittings only ... 72/-
Or with 4 ft. Rollers and Laths 112/-

BRASS.

No. 3 Brass Eclipse Fittings (as shown).

1¼ in. Fittings only... ... ... 18/8 per dozen, or with 4 ft. Rollers and Laths ... 22/- per dozen.
1½ ,, ,, ... 32/- ,, ,, ,, ,, ,, ... 40/- ,,
1¾ ,, ,, ... 36/- ,, ... Price according to length.
2 ,, ,, ... 40/- ,, ... ,, ,, ,,
2½ ,, ,, ... 48/- ,, ... ,, ,, ,,

If with Egg Shaped Laths, 6d. per dozen extra.

No. 3 Brass Eclipse Fittings with D Brackets, 3/- per dozen less nett.

No. 2 Cast Brass Eclipse, no Boxes, with Brackets as shown.

1¼ in. Fittings only... ... 13/- per dozen, or with 4 ft. Rollers and Laths ... 17 4 per dozen.


No. 1 Eclipse Brass. Cast Ends, no Boxes, light Cast Brackets.

1¼ in. Fittings only ... ... 12 - per dozen, or with 4 ft. Rollers and Laths ... 16 - per dozen.

No. 1 Stamped Eclipse, no Boxes.


1¼ in. Fittings only... ... ... 9 4 per dozen, or with 4 ft. Rollers and Laths ... 12 8 per dozen.

CORD ENDS AND BRACKETS.



STAMPED BRASS

		Per Gross.
1 in.	Iron Ends only	8/8
1¼ ,,	,, ,, ...	9/4
1 ,,	Endless Cord Ends, with Brackets	18/8
	or with 4 ft. Rollers and Laths	48/-
1¼ ,,	Endless Cord Ends, with Brackets	20 -
	or with 4 ft. Rollers and Laths	60/-




BRASS—Stamped.

		With Cast D. Brackets.
	Per Doz	Per Doz.
1¼ in. Ends (1¾ in. Flange), with Cup Brackets	3/4 ..	7/-
1 ,, ,, 2 in. Flange), ,, ,,	3/8 ..	7/4

Heavy Cast.

1 in (1¾ in. Flange)	4/8 ..	8/4
1¼ ,, (2 in. Flange)	5/8 ..	9/4




FLAT BRASS ENDS.

For Tin Barrel Rollers and Shop Rollers.


1½ in.	2½ in. Flange	8/8	per doz. pairs.
1¾ ,,	2½ ,, ,, ...	14/-	,,
2 ,,	2¾ ,, ,, ...	16/-	,,
2¼ ,,	2¾ ,, ,, ...	18/8	,,


2½ in. with Boxes, 4 in. Sheaves, 40/-

SHOP ENDS AND BRACKETS.



	Malleable Iron.	Brass.
	Doz. Pairs.	
2½ in. ...	7/4 ...	21/4
3 in. ...	9/4 ...	26 8
4 in. ...	12/- ...	32/-
5 in. ...	32/- ...	—






BRACKETS.

	Iron. Gross Pairs.	Brass. Doz. Pairs.
As shown ...	29/- ...	8/-
Larger size...	38/- ...	12/-

SCOTCH-ECLIPSE.



SINGLE CORD FITTINGS.

The SCOTCH-ECLIPSE Fitting is a single Cord action, with Bracket with Slide. With this Bracket it is impossible for the Roller to jump out. The 2 in. has Wrought Iron Brackets.

IRON. with Brass Boxes.	Per Dozen.	BRASS.	Per Dozen.
1¼ in.	8/-	1¼ in.	19/4
1½ in.	13/4	1½ in.	20/8
1¾ in.	16/8	1¾ in.	23/4
2 in.	24/-	2 in.	32/-


EMPRESS
Looking-Glass Regulator.



The EMPRESS MIRROR RACK, or Looking-Glass Regulator (of Polished Brass), is used for affixing to Mirrors, etc., to regulate their position, and to hold them firmly where required. 32/- per Gross.

PATENT


ANGLE BRACKET.



Not Bushed...	...	...	20/- per Gross Pairs.
One Side Bushed	...	...	26/- ,,
Both Sides Bushed, and Cord Guide	...	...	40/- ,,

CUTTER.

FOR SHOULDERING THE ENDS OF ROLLERS.



One Cutter will cut from 1 in. to 1½ in. by having extra plates.

The advantage of using this Cutter is that all the Rollers are cut alike—also a great saving in time.


One man with this Cutter will cut ten Rollers in the same time that one Roller can be cut by hand.


The length and depth of the cut can be regulated by the Adjusting Screws.

Any size up to 1⅝ in.			26/8, above 1⅝ in. 33/4
Extra Plate, any size	...	...	... 3/4


BRACKETS

For Endless Cord or Single Cord Fittings.





Brass ... ... 36/- per Gross Pairs.



Brass—D 1 ... ... 44/- Gross Pairs.
,, D 2, for large Fittings 76/- ,,




Iron ... ... 8/8 per Gross Pairs.
Brass ... ... 44/ ,,

BLINDS FASTENERS.



1/8 per Gross.


STEEL CLIPS.




1 in. ... ... 4/- Gross.
1¼ in. ... ... 5/4 ,,

CORD HOLDFASTS.







ROSETTE.
STAMPED ONLY.
9/3 per Gross.




No. O.
8/- per Gross.




TRIANGLE.
SIZE 1.



TRIANGLE.
SIZE 2.



TRIANGLE.
SIZE 3.



FRICTION
HOLDFAST.

THE PATENT FRICTION HOLDFAST is made in Brass only. The advantage of this Holdfast over all others in the market is that the Blind can either be drawn down by hand or lowered by the cord.


64/-
PER GROSS.

THE TRIANGLE PATENT HOLDFAST is an improvement on the old YOUNG'S Holdfast, and is suitable for all kinds of Blinds, light or heavy. The triangular shape of the shank and head causes the cord to bind at once, and the more tenison there is put on the cord the stronger it binds.

Cast Cleat Hook	... ...	24/-	per Gross.
Stamped, Size 1	... ...	16/-	,,
Cast, ,, 1	... ...	24/-	,,
,, ,, 2	... ...	30/-	,,
,, ,, 3	... ...	36/-	,,

DRAUGHT EXCLUDERS,

For the bottom of Doors and Casements.



This EXCLUDER is a cheap, durable and effective apparatus to fix to the Bottom of Doors, for preventing the entrance of Draughts, Rain, or Dust into Rooms, &c.

The action is automatic—the EXCLUDER is closed by the shutting of the door, and is immediately released again when the door is opened.

The bottom of the EXCLUDER is fitted with rubber or felt, which fits quite tight when the door is shut.

Made in 3 Stock Sizes:
2 ft. 10 ins., 3 ft. 2 ins., and 3 ft. 6 ins.


If too long, can be cut down to the length required.

---

2 ft. **10** ins.	..	..	**32**/- per Dozen.
3 „ **2** „		..	**36**/- „
3 „ **6** „	..	..	**40**/- „

THE ECCENTRIC
WINDOW FASTENER
(or Wedge),

For Preventing Windows from Rattling.



The most Simple Window Wedge out.

PREVENTS ALL DRAUGHTS.

Windows may be left open for ventilation any height, making it impossible to open further from outside.

DIRECTIONS.


Screw on the sash, in the centre of the window, the round end of the fastener just touching the frame.

Gilded	..	..	**10**/- per Gross.
Nickel-Plated	..	..	**21/4** „


ROBERTSHAW'S PATENT

EXCELSIOR

SASH FASTENER.



OPEN.



FAST.

THE EXCELSIOR SASH FASTENER has a lever which drops automatically over the locking bar, and so secures it that it cannot possibly be opened from the outside.

There is no spring to get out of order, and the action is simple, easy, and effective.

MADE IN BRASS AND IRON.

It is neat in appearance, strong in formation, and low in price.


Brass .. .. .. **120/-** per Gross.

ROBERTSHAW'S

BRASS

ROD HOLDERS

FOR MUSLIN CURTAINS.



This is a cheap and simple Rod Holder (or Bracket) made in Stamped Brass.

It is neat, and quite as effective as a higher priced Bracket.

The Rod is simply pushed into the Bracket, which grips it and holds it in its place.

8/8 per Gross Pairs.

RODS and DOWELS.

Hardwood Rods, for Muslin Curtains, made in three sizes :—


$\frac{3}{8}$ in., $\frac{7}{16}$ in., and $\frac{1}{2}$ in.

Lengths :—

3 ft.; 3 ft. 6 in.; 4 ft.; 4 ft. 6 in.; 5 ft. and 6 ft.

6/8 **7/4** **8/8** **10/-** **12/4** **14/-** Gross.

MANTEL RAIL.




To screw on Kitchen Mantel-piece.

Price with 5-foot Rod, stained and polished any colour, **14**/- per Dozen.

With 6 foot. Rod, **15**/**4** per dozen.

CLOTHES RACK.



The Pulleys are screwed up in any suitable place, such as kitchen ceiling; and the rail can be raised and lowered at pleasure.

Price **4**/**8** Each.

4 1-in. Rods, 8 feet long.
15 yds. Sash Cord.
1 Double, 2 Single Pulleys, and Holdfast.

TRIUMPH INDIA-RUBBER DOOR-STOPPER.

A hardwood block (with a Screw hole through the centre), covered with solid India-rubber.




To fix on the floor at back of Door, to prevent the door-knob from damaging the wall or furniture.

32/- Per Gross.


TOWEL ROLLERS.

ON VARNISHED BACKS



		Gross.
No. 0.	Wood Ends, Iron Brackets with Backs ..	48/-
,, 1.	Iron Fittings	64/-
,, 2.	Brass ,, ...	88/-
,, 3.	Spring Towel Roller	96/-
,, 4.	,, ,, ,, with Top Rail	112/-
,, 5.	With Top Rail, but no Spring	88/.
,, 06.	Iron Brackets, Brass Ends, French Polished Roller and Back	120/-
,, 6.	All Fittings Brass, French Polished Roller and Back	168/-

SCOTCH TOWEL ROLLERS.



1 in., Soft Wood, without Backs	40/-
1 ,, Hard ,, ,, ,, ...	48/-
With Backs, Soft, Varnished	64/-
,, ,, Hard, ,, ...	72/-

VENETIAN BLIND LATHS.

Prices of Venetian Blind Laths.

PINE.

		Sawn only.		Planed and Edged.		
ft.	in.	s.	d.	s.	d.	Per gross.
6	0	25	4	32	0	gross.
5	9	24	0	30	8	,,
5	6	22	8	29	4	,,
5	3	21	4	28	0	,,
5	0	20	0	26	8	,,
4	9	18	8	25	4	,,
4	6	17	4	24	0	,,
4	3	16	0	22	8	,,
4	0	15	4	21	4	,,
3	9	14	8	20	0	,,
3	6	11	0	18	8	,,
3	3	13	4	17	4	,,
3	0	12	0	16	0	,,
2	9	10	8	14	8	,,
2	6	9	4	13	4	,,
2	3	8	0	12	0	,,
2	0	6	8	10	8	,,
1	9	5	4	9	4	,,
1	6	4	0	8	0	,,
1	3	2	8	6	8	,,

In ordering finished work, give the exact length of Lath.

Rails and Laths picked for varnishing, 10 per cent. extra.

LATHS IN LONGER LENGTHS.

For 500 feet.. 12/8.... 18/-

PULLEY RAILS.

For 100 feet.. 8/8 .... 10/8

THIN RAILS.

For 100 feet.. 7/4 .... 9/4

SPRUCE.

		Sawn only.		Planed and Edged.		
ft.	in.	s.	d.	s.	d.	Per gross.
6	0	17	4	25	4	gross.
5	9	16	8	24	8	,,
5	6	16	0	23	4	,,
5	3	15	4	22	8	,,
5	0	14	8	21	4	,,
4	9	14	0	20	8	,,
4	6	13	4	19	4	,,
4	3	12	8	18	8	,,
4	0	12	0	17	4	,,
3	9	11	4	16	8	,,
3	6	10	8	15	4	,,
3	3	10	0	14	8	,,
3	0	8	8	13	4	,,
2	9	7	4	12	0	,,
2	6	6	0	10	8	,,
2	3	5	4	9	4	,,
2	0	4	0	8	0	,,
1	9	3	4	6	8	,,
1	6	2	8	5	4	,,
1	3	2	0	4	0	,,

In ordering finished work, give the exact length of Lath.

Rails and Laths picked for varnishing, 10 per cent. extra.

LATHS IN LONGER LENGTHS.

For 500 feet.. 11/- 15/8

PULLEY RAILS.

For 100 feet .. 4/8 .... 6/8

THIN RAILS,

For 100 feet .. 3/4 .... 5/4

PACKING BOARDS NOT TO BE RETURNED.

PENDANTS

IN BOXWOOD, ROSEWOOD, OR EBONY.

2/8 Gross.
Cord Stop.





Brass Knot Holder.
12/- Gross.

No. 100.
Knot Holder.



6/8 per Gross.


Knot Holder.



9/4 per Gross.



No. 0,
and No. 0 R
with Rubber.




No. 1.



No. 2.



No. 3,
and No. 3 R
with Rubber.



Fancy Pendant.
16/- Gross.



No. 4.
To unscrew.



No. 5.
With Rubber Ring, to unscrew.



No. 6, **without Rubber.**
No. 7, **with Rubber, to unscrew.**
No. 8, **Larger, with Rubber.**

No.	0 0	Birch	3/-	Gross.
,,	0 1	..	3/4	,,
,,	0 2	..	3/8	,,
,,	0	Box	4/-	,,
,,	0 R	..	9/4	,,
,,	1	..	3/8	,,
,,	2	..	5/4	,,
,,	3	..	6/-	,,
,,	3 R	..	11/4	,,
,,	4	..	10/8	,,
,,	5	..	17/4	,,
,,	6	..	18/-	,,
,,	7	..	24/8	,,
,,	8	..	28/-	,,

VEGETABLE IVORY.

No.	3	..	17/4	Gross.
,,	4	..	21/4	,,
,,	5	..	26/8	,,
,,	6	..	28/-	,,
,,	7	..	33/4	,,

For Tassels see Blind Cloth List.

ROLLERS AND LATHS.

Rollers and Laths in Best Yellow Pine.

YELLOW PINE (Round or Octagon).

ALL ROLLERS are sent "Round," unless specially ordered otherwise.

Best Pine,	1 in. × 4 ft., with Flat Laths	24/-	..	with Egg-shaped Laths ..	32/-	per gross.
,,	1¼ in. × 4 ft., ,, ,, ...	40/-	..	,, ,, ..	52/-	,,
,,	1¼ in. × 4 ft. 6 in. ,, ,, ...	52/-	..	,, ,, ..	65/6	,,
,,	1¼ in. × 5 ft. ,, ,, ...	64/-	..	,, ,, ..	79/-	,,
,,	1¼ in. × 6 ft. ,, ,, ...	80/-	..	,, ,, ..	106/-	,,
,,	1¼ in. and Egg-shaped Laths	93/4	per 1,000 ft., in long lengths, 9 to 12 ft.			
,,	1½ in. × 4 ft., with Flat Laths	96/-	,, ,, ,,			
,,	1½ in. × 5 ft. ,, ,, ...	120/-	..	with Egg-shaped Laths ..	140/-	,,
,,	1½ in. × 6 ft. ,, ,, ...	144/-	..	,, ,, ..	168/-	,,
,,	1½ in. × 7 ft. ,, ,, ...	168/-	..	,, ,, ..	194/-	,,
,,	1⅜ in. and Egg-shaped Laths	126/8, 7 to 11 ft.				
,,	1½ in. ,, ,, ...	150/-	,,			
,,	1¾ in. ,, ,, ...	226/8	,,			
,,	1⅛ in., Rollers only	53/4	,,			
,,	1¼ in. ,, ...	66/8	,,			
,,	1⅜ in. ,, ...	80/-	,,			
,,	1½ in. ,, ...	122/-	,,			

The above are Stock Sizes. Orders can be executed same day as received, and all special lengths and sizes (1¾ in., 2 in., etc.) can be made in one day.

1½ in.	Rollers and Flat Laths,	2/-	per dozen feet, in quantities;	Odd Rollers,	2/8	per dozen feet.
1¾ in.	,,	,,	2/8	,,	,,	,,	,,	3/4	,,
2 in.	,,	,,	3/4	,,	,,	,,	,,	4/-	,,

OCTAGON ROLLERS AND LATHS, (With or Without Wooden Pulleys.)

	Per Gross.		Per Gross.
1 in. × 4 ft.	24/-	1¼ in. × 4 ft.	32/-
1 in. × 4 ft. 6 in.	28/-	1¼ in. × 4 ft. 6 in.	37/4
1 in. × 5 ft.	32/-	1¼ in. × 5 ft.	42/8
1 in. × 6 ft.	37/4	1¼ in. × 6 ft.	53/4


EGG-SHAPED LATHS.

1 in. × 4 ft.	16/-	per gross.
1¼ in. × 4 ft.	24/-	,,
1 in., in long lengths	28/-	per 1,000 feet.
1¼ in. ,, ...	37/4	,,

FLAT LATHS.


4 ft.	6/8	per gross.
4 ft. 6 in.	9/4	,,
5 ft.	11/4	,,
6 ft.	14/8	,,

VENETIAN FITTINGS.



BRACKETS.
Japanned.

	Gross
2½ in. by 1½ in. (Singles),	6/-
3 in. by 1⅝ in. (Singles),	6/8




PULLEYS.

	Gross.
1 in. Beech ...	10d.
1 in. Box ...	1/4
1 in. Box, Bushed	2/4




ROLLERS.
Shouldered, or Straight.

	Gross.
Beech	1/-
Box	1 8




VENETIAN ACTIONS.

		Gross
2 Cord	... ...	28/-
3 ,,	... ...	37/4
2 ,,	Stamped Iron ...	20/8



FANCY ROSE.

	Per Gross.
Venetian Roses (Plain)	10d.
,, ,, (Fancy)	1/-
Driving Eyes, 1 in.	1/1½
,, ,, 1¼ in.	1/7



PLAIN ROSE.

HARD WOOD BLOCKS.

FOR SPRING ROLLERS.


	Gross Pairs.		Gross Pairs
1 ¼ in.	6/8	3 in.	84/-
1 ½ in.	7/8	3½ in.	96/-
1 ¾ in.	11/-	4 in.	120/-
2 in.	16/-	4½ in.	144/-
2 ½ in.	40/8	5 in.	172/-




DRIVING EYE.

LATH PUNCHING MACHINE (1 in. and ⅜ in. hole) ... **£2 13s. 4d.**

PORTIÈRE RODS.




		Per Doz.
RW 1—Wood Rod, Stained any colour, Polished, Bronzed Brackets	....	20/-
RW 2 ,, ,, Electro-Brassed ,,	....	24/-




				Per Doz.
R 1—$\frac{5}{8}$ in. Brass Rod and Bronzed Brackets	....	....	....	28/-
R 1—$\frac{5}{8}$ in. ,, Electro-Brassed Brackets	....	....		32/-
R 1—$\frac{3}{4}$ in. ,, ,, ,,	....	....		40/-
R 1—$\frac{3}{4}$ in. ,. Cast Brass ,,	....	....		48/-

PORTIÈRE RODS.




	Per Doz.
R 2—$\frac{5}{8}$ in. All-Brass, Round Hinged Joint	48/-
R 2—$\frac{3}{4}$,, ,, ,, ,, ,, ...	60/-




	Per Doz.
R 3—$\frac{5}{8}$ in. All-Brass, Flat Hinged Joint	60/-
R 3—$\frac{3}{4}$,, ,, ,, ,, ,, ...	72/-

BLIND RACKS.


SCREWED.




44 I. 44 S. 44 S.P.



44 C.



44 C.P.




45 S. 45 S.P.


			Per Gross.
44 I.	...	Iron Stamped	23/4
44 S.	...	Brass Stamped	36/-
44 S.P.	..	Brass Stamped, Polished ...	44/-
44 C.	...	Brass Cast, Sanded	48/-

			Per Gross
44 C.P.	....	Cast Brass, Polished	56/-
45 S.	...	Stamped Brass	64/-
45 S.P.	....	Stamped Brass, Polished ...	72/-

BLIND RACKS




45 C.P.



43 S.



47 S. 47 C.




50 C.

			Per Gross.
45 C.P. ...	Cast Polished ...	...	84/-
43 S. ...	Stamped ...	...	28/-
47 S. ...	Stamped Brass ...	...	36/-

			Per Gross.
47 C. ...	Cast Brass ...	...	56/-
50 C. ...	6 inch ...	...	108/-

CORNICE POLES.



WOOD POLES

In Imitation Ash, Mahogany, Walnut, Rose, and Pitch Pine. Varnished and Polished. With Wood Ends.

BIRCH POLES

Stained and Polished any color. Complete with Ends, Rings, and Brackets.
(And PITCH PINE. Natural Color.)

1⅛ in.	4 ft. 6 in. to 6 ft. assorted	28/-	per dozen.
2 in.	„ „	37/4	„
2½ in.	„ „	53/4	„
3 in.	„ „	1/-	per foot.

STAINED AND POLISHED POLES

Complete in long lengths, with Ends, Rings, and Brackets.

1½ in.	... ...	4/8	per doz. feet
2 in.	... ...	6/8	„ „
2½ in.	... ...	8/8	„ „

POLES ONLY

Stained and Polished.

1½ in.	... ...	2/	per doz. feet.
2 in.	... ...	2/8	„ „
2½ in.	... ...	4/8	„ „


MOTTLED POLES

Complete with Ends, Rings, and Brackets.

1½ in.	4 ft. 6 in. to 6 ft., assorted	29/4	per dozen
2 in.	„ „	48/	„
2½ in.	„ „	56/	„

BAY CORNICE POLES

2 bends, 2 in.	1/4	per ft.	2½ in. 2/-	per ft.	3 in. 2/8 per ft.
4 „	1/10	„	„ 2/6	„	„ 3/2 „
6 „	2/	„	„ 2/8	„	„ 3/7 „



WOOD POLES

In Imitation Ash, Mahogany, Rose, Walnut, and Pitch Pine. Varnished and Polished, With Brass Fittings.

POLISHED WOOD POLES

With Brass Fittings.

			5 ft.	6 ft.	
1½ in. with	107 R	Ends	23/4	24/8	dozen
1½ in. „	L 7	„	24 8	26/-	„
2 in. „	107 R	„	33/4	36/-	„
2 in. „	L 7	„	34/8	37/4	„

Bronzed Brackets.

VARNISHED WOOD POLES

Wood Ends, Rings, and Bronzed Brackets.

1⅛ in. by	5 feet	14/-	dozen.	
1⅛ „	6 „	15/4	„	
1¼ „	5 „	16/-	„	
1¼ „	6 „	16/8	„	
1 7/16 „	5 „	20/-	„	
1 7/16 „	6 „	22/-	„	
2 „	5 „	30/8	„	
2 „	6 „	32/-	„	
1½ „	5 „ Pitch Pine	20/-	„	
1½ „	6 „	22/-	„	

VARNISHED


Made in	
1⅛ in.	5 feet and 6 feet
1¼ „	„ „
1 7/16 „	„ „
2 „	„ „

CORNICE POLES.



BRASS POLES, Complete with Fittings, per foot.

	1 in.	1¼ in.	1½ in.	1¾ in.	2 in.	2¼ in.	2½ in.	2¾ in.	3 in.
With 2 bends	1/7	1/10	2/1	2/6	2/11	3/4	3/9	5/6	6/-
,, 4 ,, ...	1/9	2/1	2/5	2/11	3/5	3/11	4/5	6/-	6/7
,, 6 ,, ...	2/-	2/5	2/9	3/3	3/9	4/5	5/1	6/6	7/1



BRASS POLES AND FITTINGS, per foot.

1 in.	1¼ in.	1½ in.	1¾ in.	2 in.	2¼ in.	2½ in.
1/3	1/6	1/8	2/1	2/5	2/10	3/2

WOOD BAY POLES, with Patent Joints.

1½ in. .. .. 5½d. per foot. Joints .. .. .. 1/2 each, including making.
2 ,, ... 8d. ,, ,, ... 1/4 ,, ,,

Best Selected
BAMBCO POLES.
Plugged and varnished, without Fittings.

1 in. .. .. 5/4 dozen.
1¼ ,, ... 6/8 ,,
1½ ,, ... 8/- ,,
1¾ ,, ... 9/4 ,,
2 ,, ... 10/8 ,,

WOOD POLES & BAMBOO POLES.



Wood Pole, with R 120 End. Bronzed Brackets. No. 1 Rings.


1¼ in. × 6 ft. .. .. 16/8 dozen.
1½ ,, × 6 ,, ... 22/- ,,

Best Selected
BAMBOO POLES.
With R 120 Ends and No. 1 Rings.

1 in. × 6 ft. 6 in...12/- dozen
1¼ ,, × 6 ,, 6 ,, ..15/4 ,,
1½ ,, × 6 ,, 6 ,, ..16/8 ,,


CORNICE POLE JOINTS.

Ball Joint.




1½ in. ... 6/8 dozen.
2 in. ... 8/- „

No. 6 Eye Joint.




1½ in. ... ... 4/- dozen.
2 in. ... ... 4/8 „

No. 1 Joint.




1½ in. ... ... 5/4 dozen.
2 in. ... ... 6/8 „

Patent Solid Wood Joint.




1½ in. ... ... 6/8 dozen.
2 in. ... ... 7/4 „


WOODEN CORNICE POLE ENDS.



No. 3 End.



No. 4 End.




No. 5 End.



No. 6 End.

WOOD ENDS AND RINGS.




No. 7 End.

WOOD RINGS

1¾ in.	... ...	10/8 per gross.
2 ,,	... ...	13/4 ,,
2¼ ,,	... ...	16/- ,,
2½ ,,	... ...	18/8 ,,
2¾ ,,	... ...	21/4 ,,

ENDS (Pairs)

1½ in.	... ...	6/8 per doz. pairs.
2 ,,	... ...	8/- ,,
2½ ,,	... ...	12/- ,,



No. 8 End.


COMPLETE BRASS FITTINGS, ENDS, RINGS & BRACKETS.

R 2 1½ in. ... ... 19/4 L 7 1½ in. 20 8

Special quotations for quantities of any other sets.

BRASS CORNICE POLE ENDS.


R 107




L 27




R 2



R 20



L 7




R.R.

PAIRS, ENDS ONLY.


R 120	1¼ in.	3/4	dozen.
,,	1½ in.	4/-	,,
R 2	1½ in.	5/8	,,
R 20	2 in	10/-	,,
R 107			
L 7	1½ in.	6/8	,,
,,	1½ in.	9/8	,,
L 27	1½ in.	9/4	,,
,,	2 in.	13/4	,,

BRASS CORNICE POLE RINGS.



	No. 1		No 2		No. 3
1¼ in.	4/4	..	—	..	—
1½ ,,	5/-	..		..	—
1¾ ,,	5/4	..	6/8	..	8/-
2 ,,	6/-	..	8/-	..	8/8
2¼ ,,	6 8	..	10/-	..	10/8
2½ ,,		..			12/8
3 ,,	—	..		..	14/8


PREMIER BLIND.



Complete Blind, with Roller Fittings and Irons (smallest Blind charged as 16 feet.)

1/2 per square foot. Irons only, **5/-**

Brass Cornice Pole Brackets.




N B 21

Bronzed.			Stamped Brass.		
1½ in.	..	3/8 Dozen.	1½ in.	..	5/- Dozen.
2 ,,	..	4/- ,,	1¾ ,,	..	5/- ,,
			2 ,,		


B 21

Stamped Brass.			Heavy Cast Brass.		
1¼ in.	..	5/8 per Doz.	1¼ in.	..	7/- per Doz.
1½ ,,	..	6/- ,,	1½ ,,	..	7/4 ,,
1¾ ,,	..	6/8 ,,	1¾ ,,	..	8/- ,,
2 ,,	..	7/4 ,,	2 ,,	..	8/8 ,,
			2½ ,,	..	13/4 ,,
			3 ,,	..	23/4 ,,




ORIENTAL BLIND.

Complete Blinds with Boxes, Fittings, and Irons.
Smallest Blind charged as 16 feet.
2/- per square foot. - Irons only 12 -




PARAGON BLIND.


Complete Blinds with Boxes, Fittings and Irons.
Smallest Blind charged as 16 feet.
1/8 per square foot. - Irons only 13 4




Hardwood Stained and Polished Stair Rods.

With Brass Brackets 24 in., 27 in., 30 in. Round, 24 - per gross, Oval, 28 - per gross.






FLORENTINE BLIND.



SPANISH BLIND.



Complete Blinds, with Boxes, Fittings and Irons (the smallest Blind charged as **16** feet) ... ... **1/9** per ft.
Cases only, and Roller, and Brackets (Smallest charged as **4** feet), without Irons ... ... **3/4** per ft.
Florentine Irons, with Brass Slides ... **12/-** | Spanish Irons, with Brass Slides ... **13/4**
Boxes have two Coats of Paint.

FLAGSTAFF TOP



FLAG POLES.

Stained and Varnished Red, Blue, or Black.

½ in. × 6 ft...**40**/- gross.	1¼ in. × 9 ft...**12**/- doz
⅝ in. × 6 ft...**48**/- ,,	1½ in. × 10 ft...**20**/- ,,
¾ in. × 6 ft...**64**/- ,,	2 in. × 12 ft...**48**/- ,,
1 in. × 7 ft...**112**/ ,,	2 in. × 16 ft...**74/8** ,,
1 in. × 8 ft...**128**/ ,,	

Other Lengths and Sizes at Proportionate Prices.


If with Gilt Tops, **6**/- per gross extra net.

SASH PULLS,


24/-

per gross.





CORD.



CLIMAX CORD, in two sizes, specially manufactured for and adapted to our Patent Fittings. It is made up in Gross Balls, in Eyeleted Boxes.

COLOURS.—Red Green, Drab, Buff, White, Terra-cotta, Blue, Cream, and Six Art Colours.

CLIMAX CORD, for 1 in. Fittings ... ... 2/4 per gross.
,, 1¼ in. ,, ... 2/8 ,,

BEST QUALITY GLACÈ BLIND CORDS. All Sizes and Colours.


Worsted Cords and Linen Cords, Sash Lines, &c., &c.

BEST GLACÉ.


No. 1 ... ... 2/6	No. 4 ... ... 4/4	No. 7 ... ... 7/-
,, 2 ... ... 3/-	,, 5 ... ... 5/7	,, 8 ... . 8/8
,, 3 ... ... 3/6½	,, 6 ... ... 6/3	Worsted Cord .. 2/- to 2/4

TOWEL RACK.

No. 76.



40/- per gross.



CURTAIN HOOKS.

No. 0327.

	Per Gross
50 Gross Lots ...	11½d.
20 ,, ,, ...	1/-
Small Lots ...	1/1

To ensure early attention to Orders and prompt despatch of Goods, it is requested that all communications be addressed DIRECT to the firm.

1900.

Robertshaw's

. . . ILLUSTRATED . . .

Catalogue

— OF —

WINDOW BLIND ROLLERS

and FITTINGS.

Price List of Window Hollands, Laces, Fringes, etc., on application.

The special feature of our business is to supply the Window Blind Trade with all their requirements.